

PROACTIVE INDUSTRIAL PRIVATE LIMITED

Industrial engineering catalogue

Fire, piping, fabrication, structure, PEB, storage, ETP and automation — plus OEM heavy-engineering products specified, sourced and commissioned from Ahmedabad, Vadodara, Bharuch and Kheda Works.

www.proactiveindustrials.com · GST 24BIQPM3040P1ZU · +91 99131 17860 · proactivesafety82@gmail.com
C/119, Sidhhivinayak Tower, Makarba, Sarkhej, Ahmedabad 380051

INDUSTRIAL PRODUCTS

OEM kit on one RFQ

Figures are published OEM ranges compiled for quotation. Confirm against the current OEM datasheet before purchase. Proactive Industrial is the contractor — not the nameplate.

DESK	PRODUCT	INDICATIVE RANGE
Mechanical	Oil-injected rotary screw air compressor ELGi Equipments · EG 110	110 kW / 7–10 bar / ~274–701 cfm (ISO 1217)
Mechanical	Oil-injected screw compressor — GA class Atlas Copco · GA 55	GA 55 class ≈292 cfm / 10 bar; GA range 7.5–630 hp
Mechanical	Solid-fuel packaged steam boiler Thermax · CombiPac	4–25 TPH solid fuel; IBR
Mechanical	Fire hydrant pump set Kirloskar / listed OEM · Main + diesel + jockey	NBC / NFPA 20 / TAC pump house
Electrical	11/0.433 kV oil-filled distribution transformer CG Power / IS 1180 class · 1600 kVA ONAN Dyn11	IS 1180 Level 2; copper / CRGO; 5–6.25% Z
Electrical	MCC / PCC switchboards Siemens / Schneider / L&T · IEC 61439 Form 3b/4b	ACB/MCCB incomers, 50 kA class typical
Process	Zincalume bolted fire-water tank Proactive Industrial · 50–50,000 KL	NFPA / TAC fire reserve, liner, hydro-test
Process	SS jacketed reactor / process vessel Proactive Industrial · SS 304/316 ASME	Jacket/limpet, agitator, MTC, hydro-test
Process	Glass-lined reactor GMM Pfaudler · DIN BE / CE	63 L–50,000 L; DIN 28136 / 28063; FV/+6 bar typical BE
Process	Process / distillation column Proactive Industrial · Tray or packed	ASME / IS, platforms, internals to P&ID
Process	ASME pressure vessel Proactive Industrial · MS / SS	ASME VIII / IS 2825, NDT, hydro-test
Handling	EOT crane — single / double girder ElectroMech / Konecranes class · 1–100 t, IS 3177	Shop and process-bay EOT, inverter travel
Handling	Diesel counterbalance forklift Godrej Material Handling · GX 500D	5 t / 600 mm LC; Ashok Leyland 54.4 kW; 21% grade
Civil	PEB foundations and industrial civil Proactive Industrial · Anchors, pedestals, floors	IS 456 / IS 800 coordination with steel

DESK	PRODUCT	INDICATIVE RANGE
EHS	Hydrant, hose reel and landing valves Approved fire OEMs · IS 5290 / IS 3844	NBC occupancy furniture with the hydrant main
EHS	Fixed gas detection Honeywell / MSA / ATEX · Toxic + LEL	H ₂ S, Cl ₂ , NH ₃ , LEL, O ₂ — PESO / ATEX

Send the BOQ to proactivesafety82@gmail.com or RFQ at www.proactiveindustrials.com/rfq. Specs change without notice by the OEM.